



AFCTN Test Report 94-139

AFCTB-ID
94-086



TMSS Parsing Test



MIL-M-9977J, Appendix E, Integrated Combat Turnaround Procedures



Document Type Definition

MAXIMA Corporation

DISA Contract #DCA100-93-D-0065



Quick Short Test Report

23 June 1994



Prepared for
Electronic Systems Center
Air Force CALS Program Office
HQ ESC/AV-2
4027 Colonel Glenn Hwy Suite 300
Dayton OH 45431-1672

19960408 043

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

DTIC QUALITY INSPECTED 1

AFCTN Test Report
94-139

AFCTB-ID
94-086

TMSS Parsing Test
MIL-M-9977J, Appendix E,
Integrated Combat Turnaround Procedures
Document Type Definition
For:
MAXIMA Corporation
DISA Contract #DCA100-93-D-0065

Quick Short Test Report

23 June 1994

Prepared By
Air Force CALS Test Bed
Wright-Patterson AFB, OH 45433

AFCTB Contact
Gary Lammers
(513) 427-2295

AFCTN Contact
Mel Lammers
(513) 427-2295

DISCLAIMER

This document was prepared as an account of the work sponsored by the Air Force. Neither the United States Government, the Air Force, nor any of their employees makes any warranty, expressed or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, nor represents that its use would not infringe on privately owned rights. Reference herein to any specific commercial products, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or the Air Force. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or the Air Force, and shall not be used for advertising or product endorsement purposes.

Available to the public from the
National Technical Information Service
U.S. Department of Commerce
5285 Port Royal Road
Springfield, VA 22161

This report and those involved in its preparation do not endorse any product, process, or company stated herein. Use of these means by anyone does not imply certification by the Air Force CALS Test Network (AFCTN).

Air Force CALS Test Bed

Notification of Test Results

23 June 1994

This notice documents the results of an Air Force CALS Test Bed (AFCTB) Quick Short Test Report (QSTR) evaluation of data submitted by:

MAXIMA Corporation

Identified as follows:

Title:	MIL-M-9977J, Appendix E, Integrated Combat Turnaround Procedures, DTD Parsing Test
Program:	DISA
Program Office:	DISA
Contract No.:	DCA100-93-D-0065
QSTR No.:	AFCTB-ID 94-086

Received on the following media: **3.5" Diskette**

The results of the QSTR evaluation are as follows:

MIL-STD-1840A Media Format:	N/A
MIL-D-28000A IGES:	N/A
MIL-M-28001B SGML:	Pass
MIL-R-28002A Raster:	N/A
MIL-D-28003 CGM:	N/A

Formal results with associated disclaimer are documented and available from the AFCTB.

**Air Force CALS Test Bed
HQ ESC/AV-2P
4027 Colonel Glenn Highway, Suite 300
Dayton, OH 45431-1672
Phone: 513-257-3085 FAX: 513-257-5881**

Contents

1.	Introduction.....	1
1.1.	Background.....	1
1.2.	Purpose.....	2
2.	Test Parameters.....	3
3.	1840A Analysis.....	4
3.1.	External Packaging.....	4
4.	SGML Analysis.....	4
4.1.	Exoterica Validator.....	5
4.2.	Exoterica XGML Normalizer.....	6
4.3.	Public Domain sgmls.....	6
4.4.	Sema Mark-it.....	6
5.	Conclusions and Recommendations.....	7
6.	Appendix A - Detailed SGML Analysis.....	8
6.1.	Exoterica Validator.....	8
6.2.	Public Domain sgmls Log.....	11
6.3.	Sema Mark-it Parser Log.....	13
6.4.	D977JE0.ORG.....	14

1. Introduction

1.1 Background

The Department of Defense (DoD) Air Force Continuous Acquisition and Life-cycle Support (CALS) Test Network (AFCTN) is conducting tests of the military standard for the Automated Interchange of Technical Information, MIL-STD-1840A, and its companion suite of military specifications. The AFCTN is a DoD sponsored confederation of voluntary participants from industry and government managed by the Electronic Systems Center (ESC).

The primary objective of the AFCTN is to evaluate the effectiveness of the CALS standards for technical data interchange and to demonstrate the technical capabilities and operational suitability of those standards. Two general categories of tests are performed to evaluate the standards; formal and informal.

Formal tests are large and comprehensive, which follow a written test plan, require specific authorization from the DoD, and may take months to prepare, execute, and report.

Informal tests are quick and short, used by the AFCTN technical staff, to broaden the testing base. They include representative samples of the many systems and applications used by AFCTN participants. They also allow the AFCTN staff to gain feedback from many industry and government interpretations of the standards, to increase the base of participation in the CALS initiative, and respond to the many requests for help that come from participants. Participants take part voluntarily, benefit by receiving an evaluation of their latest implementation (interpretation) of the standards, interact with the AFCTN technical staff, gain experience using the standards, and develop increased confidence in them. The results of informal tests are reported in Quick Short Test Reports (QSTRs) that briefly summarize the standard(s) tested, the hardware and software used, the nature of the test, and the results.

1.2 Purpose

The purpose of this informal test is to analyze Air Force Document Type Definitions (DTDs) for Standard Generalized Markup Language (SGML) syntax, using several commercial and public domain SGML parsers, prior to placing them in the Defense Information Systems Agency (DISA) Asset Source for Software Engineering Technology (ASSET) repository.

2. Test Parameters

Test Plan: AFCTB 94-086

**Date of
Evaluation:** 23 June 1994

Evaluator: George Elwood
Air Force CALS Test Bed
DET 2 HQ ESC/AV-2P
4027 Colonel Glenn Hwy
Suite 300
Dayton OH 45431-1672

**Data
Originator:** Kay Hill
MAXIMA Corporation
2372 Lakeview Drive
Beavercreek OH 45431
(513) 427-5888

**Data
Description:** Technical Manual Test
1 DTD

**Data
Source System:**

Text/SGML
SOFTWARE
Unknown

Evaluation Tools Used:

MIL-M-28001 (SGML)
PC 486/50
Exoterica XGMLNormalizer v1.2e3.2
Exoterica Validator v2.2 ex1
McAfee & McAdam Sema Mark-it v2.3
Public Domain sgmls 1.1

**Standards
Tested:** MIL-M-28001B

3. 1840A Analysis

3.1 External Packaging

The 3.5" diskette was hand delivered to the Air Force CALS Test Bed (AFCTB). It was not enclosed in any type of container.

The files received by the AFCTB were not MIL-STD-1840A. The files were not named per the standard conventions, as the stated purpose of the evaluation was the basic data structure.

4. SGML Analysis

The AFCTB has several parsers available for evaluating submitted DTD and text files. These tools are not used to generate a pass/fail but to report how commercially available software can handle the files. These products are used in the development of technical publications and are good indicators of usability. The use of these products is not an endorsement nor an indication of CALS capability. All operations were performed using the default settings unless specified in the report.

The goal was to configure the DTD under analysis as it would normally be used. However, for this analysis it was necessary to modify the DTD adding the "DOCTYPE doc [" statement to the start and the companion "]" to the end of the DTD under evaluation, as stated in the comments of the DTD. If the parser did not support a formal file pointing to the location of the ISO character sets, this was added.

The DTD under evaluation, MIL-M-9977J, Appendix E, Integrated Combat Turnaround Procedures, called a sequence of companion DTDs, each in turn, as illustrated by the diagram below. These DTDs were delivered on the same diskette as the DTD to be evaluated. The DTDs were not changed except to point to the succeeding DTD in the sequence and to insert the location of the ISO character set files in the D784CB0.A3 DTD.

MIL-M-9977J Integrated Combat Turnaround Procedures DTD

D977JEO.ORG --> D977JAO.ORG --> D784CBO.A3

The following notes apply to the parsing analysis as indicated in the ensuing paragraphs.

- Note 1. Entity parameters defined more than once is a valid SGML construct. The duplicate definition errors and/or warnings in this analysis do not indicate any problems.
- Note 2. Some of the parsers report mixed content model warnings. The use of such content models is normally unnecessary and therefore not normally recommended. Record boundaries within elements of associated instances may be misinterpreted where a mixed content model exists in the DTD.
- Note 3. The occurrences of warnings "references defined, but not used," appeared because portions of the called DTD, i.e., MIL-M38784C, were not used. They were not used because the entity definitions of the DTD under analysis altered the execution path in the called DTD. The warnings in this analysis do not indicate any problems.

4.1 Exoterica Validator

The DTD file was evaluated using the Exoterica Validator *exl* parser. The basic DTD was modified by placing the concrete syntax file and "<!DOCTYPE doc [" at the start and the "]">" at the end. No errors were reported by the parser.

The parser reported 73 total warnings of two types. The first warning was for a parameter entity declared more than once. See Note 1 above.

```
<!-- **Warning** in "c:\ws\977j.dtd" (entity "%mnucbasld"), line 29,
      used in "\xgml\9486.dtd", line 142:
      A parameter entity name has been declared more than once.
      The entity is "%bodyele".
      <!ENTITY % bodyele "(basinfo, bomweapld, practbl)" >
      ~~~~~
-->
```

The second type warning relates to elements defined but not used in any content model. See Note 3 above.

```
<!-- **Warning** in "\xgml\9486.dtd", line 269:
  An element is not allowed in the document instance because it does not
  appear in any accessible content model or it is completely excluded.
  The element is "ACFTPREP".
-->
```

4.2 Exoterica XGML Normalizer

The DTD file was parsed using the Exoterica *XGMLNormalizer* parser. The concrete syntax and "<!DOCTYPE doc [" were added to the start and "]">" to the end of the file. No errors or warnings were issued by this utility.

4.3 Public Domain sgmls

The DTD file was evaluated using the Public Domain *sgmls* v1.1 parser. The file was modified by adding the "<!DOCTYPE doc [" to the start and "]">" to the end of the file as stated in the comments in the DTD. File D784CB0.A3 location was inserted into the DTD. No errors were reported by the parser.

The parser reported 17 total warnings of the same type. This warning was for duplicate definitions. See Note 1 above.

```
sgmls: In file included at \ws\9486.dtd, line 70:
      Warning at c:\ws\977j.dtd, line 29 in declaration parameter 4:
      Duplicate specification occurred for "%bodyele"; duplicate ignored
```

4.4 Sema Mark-it

The DTD file was evaluated using McAfee & McAdam's *Sema Mark-it* v2.3 parser. The file was modified by adding the concrete syntax and "<!DOCTYPE doc [" to the start and "]">" to the end of the file. The parser reported no errors or warnings for the file.

5. Conclusions and Recommendations

The file D977JEO.ORG, MIL-M-9977J, Appendix E, Integrated Combat Turnaround Procedures, conforms to the SGML syntax of ISO Standard 8879, as required by the CALS MIL-M-28001B specification.

The errors, warnings, and comments reported by the parsers used in this evaluation do not indicate invalid SGML syntax. However, the mixed content model flagged by warnings from one of the five parsers, may cause problems in the use of this DTD. See Note 3, Paragraph 4, above.

Recommend the DTD be changed to eliminate the mixed content model. If this is not possible, users should be alerted to the potential problems that may occur in the application of the DTD, and proper guidance should be provided users to avoid the potential problems in the use of this DTD.

6. Appendix A - Detailed SGML Analysis

6.1 Exoterica Validator

```
<!-- **Warning** in "c:\ws\977j.dtd" (entity "%mnucbasld"), line 29,  
      used in "\xgml\9486.dtd", line 142:
```

```
A parameter entity name has been declared more than once.
```

```
The entity is "%bodyele".
```

```
<!ENTITY % bodyele "(basinfo, bomweapld, practbl)" >  
      ^^^^^^^
```

```
-->
```

```
The entity is "%shorttitleuse".
```

```
The entity is "%shorttitle".
```

```
The entity is "%titles".
```

```
The entity is "%ep".
```

```
The entity is "%gsr".
```

```
The entity is "%scop".
```

```
The entity is "%aprep".
```

```
The entity is "%plaunch".
```

```
<!-- **Warning** in "i:\dtd\784c.dtd" (entity "%m38784c"), line 37,  
      used in "c:\ws\977j.dtd" (entity "%mnucbasld"), line 94,  
      used in "\xgml\9486.dtd", line 142:
```

```
A parameter entity name has been declared more than once.
```

```
The entity is "%shorttitleuse".
```

```
<!ENTITY % shorttitleuse "IGNORE" >  
      ^^^^^^^^^^^^^^^
```

```
-->
```

```
The entity is "%shorttitle".
```

```
The entity is "%frnt".
```

```
The entity is "%titles".
```

```
The entity is "%bodyele".
```

```
The entity is "%nparcon".
```

```
The entity is "%parazero".
```

```
The entity is "%sect".
```

```
<!-- **Warning** in "\xgml\9486.dtd", line 269:
```

```
An element is not allowed in the document instance because it does not  
appear in any accessible content model or it is completely excluded.
```

```
The element is "ACFTPREP".
```

```
-->
```

```
The element is "ADDRESS".
```

```
The element is "AIRDESC".
```

```
The element is "AIRPREPLD".
```

```
The element is "BASINFO".
```

```
The element is "BOMBWEAPSECT".
```

The element is "BOMWEAPDESC".
The element is "BOMWEAPLD".
The element is "CARTINS".
The element is "CHAPTER".
The element is "CHGINSSHT".
The element is "CHGLIST".
The element is "CHGREC".
The element is "DDCHAPTER".
The element is "DDDESC".
The element is "DDINDEX".
The element is "DDINTRO".
The element is "DDLIST".
The element is "DDSHEET".
The element is "DEPLOY".
The element is "DLAYFLT".
The element is "DOC".
The element is "DOCNUCBASLD".
The element is "DOCPART".
The element is "FCTFUNCCHK".
The element is "FERRYPROC".
The element is "GENERAL".
The element is "GENPROC".
The element is "ILLUSLIST".
The element is "INSERTPG".
The element is "INTRO".
The element is "LOAD".
The element is "LOADPREP".
The element is "NONSTRTOSTR".
The element is "PGNO".
The element is "POSTLDINSP".
The element is "PRACTBL".
The element is "PRACTBLSECT".
The element is "PREFACE".
The element is "PREUNLOAD".
The element is "RACKLOAD".
The element is "REMOVEPG".
The element is "SAFING".
The element is "SECTION".
The element is "SHORTTITLE".
The element is "SPECSAFREQ".
The element is "STRAYVOLTCHK".
The element is "STRNONSTR".
The element is "SUPPEQDESC".
The element is "SUPPEQUIPDESC".
The element is "TABLELIST".
The element is "UNLOAD".
The element is "UNLOADPROC".
The element is "VOLUME".

The element is "WARNPAGE".

-->

<!-- Capacity points/limits:

TOTALCAP =178289/200000

ENTCAP =13792/200000

ENTCHCAP =14251/70000

ELEMCAP =6400/70000

GRPCAP =41120/70000

EXGRPCAP =960/70000

EXNMCAP =1888/70000

ATTCAP =73728/200000

ATTCHCAP =1827/70000

AVGRPCAP =24064/70000

NOTCAP =96/70000

NOTCHCAP =163/70000

IDCAP =0/70000

IDREFCAP =0/70000

MAPCAP =0/70000

LKSETCAP =0/70000

LKNMCAP =0/70000

-->

<!-- 0 errors and 73 warnings reported. -->

6.2 Public Domain sgmls Log

sgmls: In file included at \ws\9486.dtd, line 70:
Warning at c:\ws\977j.dtd, line 29 in declaration parameter 4:
Duplicate specification occurred for "%bodyele"; duplicate ignored

sgmls: In file included at \ws\9486.dtd, line 70:
Warning at c:\ws\977j.dtd, line 33 in declaration parameter 4:
Duplicate specification occurred for "%shorttitleuse"; duplicate ignored

sgmls: In file included at \ws\9486.dtd, line 70:
Warning at c:\ws\977j.dtd, line 41 in declaration parameter 4:
Duplicate specification occurred for "%shorttitle"; duplicate ignored

sgmls: In file included at \ws\9486.dtd, line 70:
Warning at c:\ws\977j.dtd, line 43 in declaration parameter 4:
Duplicate specification occurred for "%titles"; duplicate ignored

sgmls: In file included at \ws\9486.dtd, line 70:
Warning at c:\ws\977j.dtd, line 59 in declaration parameter 4:
Duplicate specification occurred for "%ep"; duplicate ignored

sgmls: In file included at \ws\9486.dtd, line 70:
Warning at c:\ws\977j.dtd, line 71 in declaration parameter 4:
Duplicate specification occurred for "%gsr"; duplicate ignored

sgmls: In file included at \ws\9486.dtd, line 70:
Warning at c:\ws\977j.dtd, line 73 in declaration parameter 4:
Duplicate specification occurred for "%scop"; duplicate ignored

sgmls: In file included at \ws\9486.dtd, line 70:
Warning at c:\ws\977j.dtd, line 75 in declaration parameter 4:
Duplicate specification occurred for "%aprep"; duplicate ignored

sgmls: In file included at \ws\9486.dtd, line 70:
Warning at c:\ws\977j.dtd, line 77 in declaration parameter 4:
Duplicate specification occurred for "%plaunch"; duplicate ignored

sgmls: In file included at \ws\9486.dtd, line 70:
In file included at c:\ws\977j.dtd, line 94:
Warning at i:\dtd\784c.dtd, line 37 in declaration parameter 4:
Duplicate specification occurred for "%shorttitleuse"; duplicate ignored

sgmls: In file included at \ws\9486.dtd, line 70:
In file included at c:\ws\977j.dtd, line 94:
Warning at i:\dtd\784c.dtd, line 45 in declaration parameter 4:
Duplicate specification occurred for "%shorttitle"; duplicate ignored

sgmls: In file included at \ws\9486.dtd, line 70:
In file included at c:\ws\977j.dtd, line 94:
Warning at i:\dtd\784c.dtd, line 109 in declaration parameter 4:
Duplicate specification occurred for "%frnt"; duplicate ignored

sgmls: In file included at \ws\9486.dtd, line 70:
In file included at c:\ws\977j.dtd, line 94:
Warning at i:\dtd\784c.dtd, line 126 in declaration parameter 4:
Duplicate specification occurred for "%titles"; duplicate ignored

sgmls: In file included at \ws\9486.dtd, line 70:
In file included at c:\ws\977j.dtd, line 94:
Warning at i:\dtd\784c.dtd, line 165 in declaration parameter 4:
Duplicate specification occurred for "%bodyele"; duplicate ignored

sgmls: In file included at \ws\9486.dtd, line 70:
In file included at c:\ws\977j.dtd, line 94:
Warning at i:\dtd\784c.dtd, line 177 in declaration parameter 4:
Duplicate specification occurred for "%nparcon"; duplicate ignored

sgmls: In file included at \ws\9486.dtd, line 70:
In file included at c:\ws\977j.dtd, line 94:
Warning at i:\dtd\784c.dtd, line 183 in declaration parameter 4:
Duplicate specification occurred for "%parazero"; duplicate ignored

sgmls: In file included at \ws\9486.dtd, line 70:
In file included at c:\ws\977j.dtd, line 94:
Warning at i:\dtd\784c.dtd, line 206 in declaration parameter 4:
Duplicate specification occurred for "%sect"; duplicate ignored

TOTALCAP 177330
ENTCAP 13792
ENTCHCAP 13260
ELEMCA 6400
GRPCAP 41120
EXGRPCAP 992
EXNMCA 1888
ATTCAP 73728
ATTCHCAP 1827
AVGRPCAP 24064
NOTCAP 96
NOTCHCAP 163
IDCAP 0
IDREFCAP 0
MAPCAP 0
LKSETCAP 0
LKNMCA 0

6.3 Sema Mark-it Parser Log

ATTCNT --100-- 48
ATTSPLN --960-- 0
BSEQLEN --960-- 0
DTAGLEN --16-- 0
DTEMPLN --16-- 0
ENTLVL --16-- 3
GRPCNT --32-- 22
GRPGTCNT --96-- 27
GRPLVL --16-- 5
LITLEN --3048-- 730
NAMELEN --32-- 13
NORMSEP --2-- 0
PILEN --240-- 0
TAGLEN --960-- 0
TAGLVL --24-- 0
MSDLVL --24-- 2
TOTALCAP --200000-- 186466
ENTCAP --200000-- 17024
ENTCHCAP --70000-- 13343
ELEMCAPI --70000-- 6400
GRPCAP --70000-- 46944
EXGRPCAP --70000-- 992
EXNMCAPI --70000-- 1888
ATTCAP --200000-- 73728
ATTCHCAP --70000-- 1827
AVGRPCAP --70000-- 24064
NOTCAP --70000-- 96
NOTCHCAP --70000-- 160
IDCAP --70000-- 0
IDREFCAP --70000-- 0
MAPCAP --70000-- 0
LKSETCAP --70000-- 0
LKNMCAPI --70000-- 0

6.4 D977JE0.ORG

<!-- ***** START OF FILE ***** -->

<!-- SUPPLEMENT NOTICE: This file is made available to provide the user with a digital representation of the DTD found in Appendix D of MIL-M-5096E. This file is incomplete without MIL-M-5096E. -->

<!-- NOTE: The start and end of this file are marked with a row of asterisks. If these rows are not present the file may not be complete! -->

<!-- MIL-M-9977J Integrated Combat Turnaround Procedures DTD -->

<!-- The following set of declarations may be referred to by using a public entity as follows:

<!ENTITY % micturn PUBLIC "-//USA-DOD//DTD MIL-M-9977J ICT//EN" >
%micturn;
-->

<!-- NOTE: In order to parse the following DTD subset alone, append the following statement to the beginning of the file:

<!DOCTYPE docicturn [

and the associated ">" to the end of the file. -->

<!-- ENTITY DECLARATIONS -->

<!ENTITY % bodyele "(prepmunprep, servload)" >

<!ENTITY % shorttitleuse "IGNORE" >

<![%shorttitleuse; [

<!ENTITY % shorttitle " , shorttttitle?" >

]]>

<!ENTITY % shorttitle " " >

<!ENTITY % titles "title %shorttitle;" >

<!ENTITY % parazero "({titles;;, warning*, caution*, note*, (para, note*)?, (step1, step1+)?, subparal*)" >

<!ENTITY % mnucbasld PUBLIC "-//USA-DOD//DTD MIL-M-9977J
NBL//EN">

<!ENTITY % ep "({parazero;})" >

<!ENTITY % gsr "({parazero;}) " >

<!ENTITY % scop "({titles;, warning*, caution*, note*, (para,
note*)?, (step1, step1+)?, authrestrict, subpara1*)" >

<!ENTITY % aprep "({parazero;}) " >

<!ENTITY % plaunch "({parazero;}) " >

<!ENTITY ffprot "Firefighting protection equipment shall be as
required by TO 00-25-172." >

<!ENTITY refuel "Refueling equipment shall be as required by
TO-00-25-172." >

<!ENTITY ssea "A summary of operations authorized by the System
Safety Engineering Analysis (SSEA) shall be included in this
manual." >

%mnucbasld;

<!-- ELEMENT and ATTRIBUTE LIST DECLARATIONS -->

<!ELEMENT airserv - o ({parazero;}) >
<!ATTLIST airserv tocentry %yesorno; "1"
shortentry %yesorno; "0"
verified %yesorno; "0"
%bodyatt;
%secur; >

<!ELEMENT authrestrict - o ({nparcon;, subpara2*}) >
<!ATTLIST authrestrict tocentry %yesorno; "1"
shortentry %yesorno; "0"
verified %yesorno; "0"
%bodyatt;
%secur; >

<!ELEMENT cursinsp - o ({parazero;}) >
<!ATTLIST cursinsp tocentry %yesorno; "1"
shortentry %yesorno; "0"
verified %yesorno; "0"
%bodyatt;
%secur; >

```
<!ELEMENT docicturn - - (front, body, rear?) +(pgrk | brk) >
<!ATTLIST docicturn service %service; 'AF'
                    %secur;
                    %docatt; >

<!ELEMENT finalair - o (%parazero;) >
<!ATTLIST finalair tocentry %yesorno; "1"
                    shortentry %yesorno; "0"
                    verified %yesorno; "0"
                    %bodyatt;
                    %secur; >

<!ELEMENT finalcp - o (%parazero;) >
<!ATTLIST finalcp tocentry %yesorno; "1"
                   shortentry %yesorno; "0"
                   verified %yesorno; "0"
                   %bodyatt;
                   %secur; >

<!ELEMENT gunload - o (%parazero;) >
<!ATTLIST gunload tocentry %yesorno; "1"
                   shortentry %yesorno; "0"
                   verified %yesorno; "0"
                   %bodyatt;
                   %secur; >

<!ELEMENT munitprep - o (%parazero;) >
<!ATTLIST munitprep tocentry %yesorno; "1"
                    shortentry %yesorno; "0"
                    verified %yesorno; "0"
                    %bodyatt;
                    %secur; >

<!ELEMENT munitunld - o (%parazero;) >
<!ATTLIST munitunld tocentry %yesorno; "1"
                    shortentry %yesorno; "0"
                    verified %yesorno; "0"
                    %bodyatt;
                    %secur; >

<!ELEMENT prepmunprep - - (scope, gensafreq, emergproc,
                           suppequip, preposinsp, munitprep)
                           +(figure | table | foldout) >
<!ATTLIST prepmunprep tocentry %yesorno; "1"
                      shortentry %yesorno; "0"
                      %bodyatt;
                      %secur; >
```

```
<!ELEMENT preposinsp      - o (%parazero;) >
<!ATTLIST preposinsp      tocentry %yesorno; "1"
                           shortentry %yesorno; "0"
                           verified %yesorno; "0"
                           %bodyatt;
                           %secur; >

<!ELEMENT servload  - - (servscope & cursinsp & airprep &
                           munitunld & gunload & finalcp & airserv
                           & finalair & priorlnch)  +(figure |
                           table | foldout) >
<!ATTLIST servload      tocentry %yesorno; "1"
                           shortentry %yesorno; "0"
                           %bodyatt;
                           %secur; >

<!ELEMENT servscope      - o (%parazero;) >
<!ATTLIST servscope      tocentry %yesorno; "1"
                           shortentry %yesorno; "0"
                           verified %yesorno; "0"
                           %bodyatt;
                           %secur; >

<!ELEMENT suppequip      - o (%parazero;) >
<!ATTLIST suppequip      tocentry %yesorno; "1"
                           shortentry %yesorno; "0"
                           verified %yesorno; "0"
                           %bodyatt;
                           %secur; >

<!-- ***** END OF FILE ***** -->
```
